

Official distributor



Ranch


CUNICOLE

Fencing catalog



(450) 799-5170
www.ranchcunicole.com

6685 Chemin du Rapide Plat N
Saint-Hyacinthe, Quebec



Ranch Cunicole manufactures and distributes agricultural equipment for farm animals. Our wide range of products ensures that we have something to suit your needs and budget. In addition, our large storage space allows us to keep products in stock when you need them, whether you need a single roll or several pallets. All our products are stored in a heated warehouse, ensuring that the quality of the equipment you purchase stands out from the competition.

Fence style numbers

The fence style number is a quick description of the fence it classifies. Pull-out is the measure, in inches, of the distance between the vertical stay wires.


Style #1047-6-12½

10 Number of line wire

47 Height in inches

6 Pullout spacing

12 ½ Wire gauge



Contents

Contents	Page
Wire gauge of the fence/Type of link	3
Acreage guide	4
Field fence	5
Horse fence	6
Fence panels	6
Sheep & Goat fence	7
Deer, Orchard and Wildlife Fence	8
Barbed & Smooth & Electrical wire	9
Welded wire mesh (NA/EU)	10-11
Welded wire mesh (Asian)	11-12
Fence Staples, T-Posts	13
Hardware cloth	14
Poultry netting	15

How to gauge your fence

The various Ranch Cunicole fences are made from several wire gauges - from very fine to very thick. The table below shows the conversion of wire gauge to inches or millimeters. The larger the gauge, the finer the wire.

Gauge	Inch	Millimeter
4	0,232	5,90
9	0,144	3,66
10	0,128	3,25
12 ½	0,099	2,51
14	0,080	2,03
14 ½	0,076	1,93
16	0,064	1,63
17	0,056	1,42
18	0,048	1,22
19	0,040	1,02
20	0,036	0,91
21	0,032	0,81
22	0,028	0,71
23	0,024	0,61
27	0,016	0,42

Type of link

Fence with knots

Ranch Cunicole distributes several types of wire fencing that need to be tied in different types of knots. Each type of knot is used to offer a particular advantage.



Hinge knot

The hinge knot (or Monarch® knot) acts like a hinge, providing elasticity when under pressure and then allowing the fence to return to its original position.




Fixed knot

The fixed knot (or Cross Lock® knot) firmly affixes the fence wires together, providing superior resistance to movement from animal penetration or severe snowstorms.



S-Knot

The construction of the S-knot (or Square Deal® knot) prevents the fence from buckling or sagging. It provides strength and rigidity while maintaining the flexibility needed for installation on hilly terrain.




Poultry netting

The knots in the poultry wire mesh are formed in such a way as to make the mesh flexible, allowing for easy installation.


Welded wire mesh

Welded wire mesh provides an inexpensive alternative to knotted fencing.



Wire mesh

Welded wire mesh is available in several mesh sizes, depending on your needs. The absence of knots offers an economical solution when fence flexibility is not necessary, such as for manufacturing cages or fencing flat terrain.




Hardware cloth

Wire mesh is ideal as an economical solution, since it uses thinner wire. The different mesh sizes offer a wide range of choices, depending on your needs. This model provides a very narrow mesh at an affordable price.

Acreage guide

The diagram below can be used to calculate the length required to enclose fields of various sizes. Those are suggested guideline using the square area to be fenced.



1/8 mile = 660 feet
 1/4 mile = 1320 feet
 1/2 mile = 2640 feet
 1 mile = 5280 feet

Acreage table

The table below helps calculate the number of rolls of fence required to enclose various acreage sizes. These are suggested guideline assuming the square area to be fenced.

Acres	Roll 330'	Roll 100'	Barb 1320'	Acres	Roll 330'	Roll 100'	Barb 1320'
1	3	9	1	60	20	65	5
2	4	12	1	80	23	75	6
3	5	15	1	100	26	84	7
4	5	17	2	150	31	103	8
5	6	19	2	200	36	118	9
10	8	26	2	250	40	132	10
15	10	33	3	300	44	145	11
20	12	38	3	350	48	157	12
40	16	53	4	400	51	167	13

Galvanized zinc coating

All fence sold by Ranch Cunicole is galvanized, meaning that the steel has been immersed in molten zinc and is covered with a zinc alloy that is resistant to rust. This zinc coating is measured in oz/ft² and varies depending on the model. Class 3 coating is heavier, resulting in a approximate 2 1/2 times longer service life than Class 1 coating.

As an example, for 12 1/2 gauge wire, class 1 is made with a coating of 0,28oz/ft² and class 3 wire is made with a coating of 0,80oz/ft².

Types of galvanization used in this catalog

- RB** Red Brand Tradition - Class 1 galvanized wire (Regular)
- C1** Class 1 galvanized wire (Regular)
- HP** High Protection Fence - Class 3 galvanized wire (Superior)
- HT** High Traction Fence - Class 3 galvanized wire (Superior)
- CG** Commercial galvanized wire for fence

FIELD FENCE





Monarch® Knot



Square Deal® Knot

- Protect your investment with our most reliable confinement for cattle, hogs and other large animals
- Able to withstand the demands of corralling large animal herds
- Ideal for all terrains, as well as corrals and pastures
- Special wire crimps withstand even the most severe weather by allowing the fence to expand and contract
- Galvanized wire resists weathering as well as wear and tear



Monarch® knot

Manufactured by Red Brand

Style Number & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight (lb)	Red Brand Code	Ranch CUNICOLE
1047-6-11 RB	11	9	6"	47"	330'	292	70027	RB70027



Hinge knot

Style Number & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight (lb)	Ranch CUNICOLE
939-6-12 ½ HP	12 ½	11	6"	39"	330'	169	BE39061233
939-6-14 ½ HP	14 ½	12 ½	6"	39"	330'	108	BE39061433
1047-6-12 ½ CG	12 ½	10	6"	47"	330'	187	BAN47061230
1047-6-12 ½ HP	12 ½	11	6"	47"	330'	192	BE47061233
1047-6-14 ½ HP	14 ½	12 ½	6"	47"	330'	122	BE47061433



Fixed knot

Made in Europe

Style Number & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight (lb)	Ranch CUNICOLE
842-12-12 ½ HT	12 ½	12 ½	12"	42"	330'	113	BE42121234
949-12-12 ½ HT	12 ½	12 ½	12"	49"	330'	133	BE49121234




Square Deal® Knot

Manufactured by Red Brand

Style Number & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight (lb)	Red Brand Code	Ranch CUNICOLE
949-12-9 RB	9	9	12"	49"	330'	264	70189	RB70189

- RB** Red Brand Tradition - Class 1 galvanized wire (Regular)
- C1** Class 1 galvanized wire (Regular)
- HP** High Protection Fence - Class 3 galvanized wire (Superior)
- HT** High Traction Fence - Class 3 galvanized wire (Superior)
- CG** Commercial galvanized wire for fence

HORSE FENCE AND FENCE PANELS



Horse fence

Mesh of 4" x 2" with S-knot



Horse fence

- 2" x 4" spacing prevents stepping through and climbing up. Also, the S-knot provides strength and rigidity for security
- The high-quality galvanized wire, coated with a durable layer of zinc, is resistant to both weather and wear and tear
- Easy to install on flat and hilly terrain
- The mesh design minimizes the risk of injury thanks to its flexibility when bumped




- Meets the demands of busy farms and ranches
- Unmatched strength and durability stands up well to animal pressure and weight
- Available in several styles and weights to match your specific animal-confinement needs
- Can be used for growing plants, particularly when installed in an arch shape

Style Number & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight (lb)	Ranch & CUNICOLE
1348-2-12 ½ C1	12 ½	10	2"	48"	100'	120	BAN48021211
1660-2-12 ½ C1	12 ½	10	2"	60"	100'	148	BAN60021211
1972-2-12 ½ C1	12 ½	10	2"	72"	100'	177	BAN72021211



Fence Panels

Style Number & Family	Wire Gauge	Panel Height	Panel Length	Panel Weight (lb)	Ranch & CUNICOLE
1134-8-5 Hog CG	5	34"	16'	28	PAN34085016
948-8-4.5/6 Domestic use CG	4.5/6	48"	16'	28	PAN48084516
1050-8-5 Ranch CG	5	50"	16'	30	PAN50085016



- RB** Red Brand Tradition - Class 1 galvanized wire (Regular)
- C1** Class 1 galvanized wire (Regular)
- HP** High Protection Fence - Class 3 galvanized wire (Superior)
- HT** High Traction Fence - Class 3 galvanized wire (Superior)
- CG** Commercial galvanized wire for fence

SHEEP & GOAT FENCE YARD, GARDEN & KENNEL FENCE



Fence for Sheep and Goat Mesh of 4" x 4" with S-Knot (Ideal as a perimeter fence)



Fence for sheeps and goats


- 4" x 4" mesh provides strong confinement and deters animals from putting their heads through the fence
- Smooth side of S-Knot prevents injury to animals
- Strong mesh design minimizes potential for injury by flexing on impact
- Quality galvanized wire resists weathering as well as wear and tear
- Offers secure protection from predatory animals



Yard, Garden & Kennel

- 2" x 2" mesh safeguards yards, gardens, toddlers and pets
- Strong yet lightweight makes fence easy to install
- Smooth side of S-Knot prevents injury to animals
- Tough 16-gauge wire has a bright galvanized finish that resists rust

Style Number & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight (lb)	Red Brand Code	Ranch CUNICOLE
1348-4-12 ½ C1	12 ½	10	4"	48"	100'	80	N/A	BAN48041211
1348-4-12 ½ RB	12 ½	10	4"	48"	330'	264	70315	RB70315
1348-4-12 ½ C1	12 ½	10	4"	48"	330'	262	N/A	BAN48041231




Yard, Garden & Kennel fence Mesh with 2" x 2" squares Square Deal Knot Manufactured by Red Brand

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	Red Brand Code	Ranch CUNICOLE
2548-2-16 RB	16	2" x 2"	48"	50'	33	70754	RB70754
1936-2-16 RB	16	2" x 2"	36"	100'	51	70740	RB70740
2548-2-16 RB	16	2" x 2"	48"	100'	66	70742	RB70742

- RB** Red Brand Tradition - Class 1 galvanized wire (Regular)
- C1** Class 1 galvanized wire (Regular)
- HP** High Protection Fence - Class 3 galvanized wire (Superior)
- HT** High Traction Fence - Class 3 galvanized wire (Superior)
- CG** Commercial galvanized wire for fence

DEER & ORCHARD FENCE

DEER & WILDLIFE FENCE



Deer and Orchard Fence

Hinge knot

Style Number & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight (lb)	Ranch CUNICOLE
1859-6-14 ½ HP	14 ¼	12 ½	6"	59"	165'	82	BE59061443
2371-6-14 ½ HP	14 ½	12 ½	6"	71"	165'	102	BE71061443
2472-6-14 C1	14	12 ½	6"	72"	165'	117	BAN72061441



Fence for Deer & Orchard



Deer and Wildlife Fence

Fixed knot

Style Number & Family	Filler Gauge	Top & Bottom Gauge	Pullout Spacing	Fence Height	Roll Length	Roll Weight (lb)	Ranch CUNICOLE
2096-06-12 ½ HT	12 ½	12 ½	6"	96"	330'	402	BCN96061234




Fence for Deer & Wildlife

Fence for Deer and Orchard :

- The Hinge Knot allows the fence to act as a hinge that gives under pressure, then allows the fence to spring back into shape
- Ideal to exclude entry of deer into the fenced area
- Close spacing at bottom keeps small vermin out
- Quality galvanized wire resists weathering as well as wear and tear

Fence for Deer & Wildlife :

- The fence for Deer & Wildlife is ideal to ensure the valuable herds and/or orchards are protected both inside and out, and also keeps out small unwanted animals thanks to the narrow spacing at the bottom
- The Fixed Knot provides superior resistance to movement from animal penetration and/or climbing and from severe snowstorms
- Quality galvanized wire resists weathering as well as wear and tear



- RB** Red Brand Tradition - Class 1 galvanized wire (Regular)
- C1** Class 1 galvanized wire (Regular)
- HP** High Protection Fence - Class 3 galvanized wire (Superior)
- HT** High Traction Fence - Class 3 galvanized wire (Superior)
- CG** Commercial galvanized wire for fence

BARBED & SMOOTH WIRE & FOR ELECTRICAL FENCE



Barbed wire

(4-Points)

Manufactured by Red Brand



Style Number & Family	Wire gauge	Barb Style	Barb Spacing	Reel Length	Weight (Lb)	Red Brand Code	Ranch CUNICOLE
4-Pt. High Tensile HT	15 ½	4 Pt.	5"	1320'	43	72600	RB72600

Barbed Wire

- Sharp points for effective fencing
- Strong barbs resist bending
- Twisted-cable design

Smooth Wire

- Multiple applications around home, shop and farm
- Single-strand wire ideal for bundling and tying
- Great for hanging tools and other household chores

Electric Fence Wire

- Ideal for changeable environment operations
- Easily adds extra security to existing systems
- Quality galvanized wire resists rust and corrosion
- Available in handy dispensing spools

Galvanized Smooth Wire

Manufactured by Red Brand

Style Number & Family	Wire Gauge	Length	Weight (Lb)	Red Brand Code	Ranch CUNICOLE
Galvanized CG	12 ½	381'	10	73461	RB73461

Electric Fence Wire

Manufactured by Red Brand

Style Number & Family	Wire Gauge	Length	Weight (Lb)	Code Red Brand	Ranch CUNICOLE
Galvanized CG	14	¼ Mile	24	85610	RB85610
Galvanized CG	17	¼ Mile	12	85612	RB85612

- RB** Red Brand Tradition - Class 1 galvanized wire (Regular)
- C1** Class 1 galvanized wire (Regular)
- HP** High Protection Fence - Class 3 galvanized wire (Superior)
- HT** High Traction Fence - Class 3 galvanized wire (Superior)
- CG** Commercial galvanized wire for fence

EUROPEAN OR NORTH AMERICAN WELDED WIRE MESH



Mesh of 4" x 2"

14 Gauge

Manufactured to the highest quality standards



Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	Red Brand Code	Ranch CUNICOLE
1036-2-14 CG	14	4" x 2"	36"	100'	48	84066	B423614100
1348-2-14 CG	14	4" x 2"	48"	100'	63	84067	B424814100
1660-2-14 CG	14	4" x 2"	60"	100'	76	70081	B426014100
1972-2-14 CG	14	4" x 2"	72"	100'	97	84068	B427214100
1036-2-14 CG	14	4" x 2"	36"	50'	24	70946	B42361450
1348-2-14 CG	14	4" x 2"	48"	50'	32	70947	B42481450
1660-2-14 CG	14	4" x 2"	60"	50'	39	70948	B42601450

- A versatile fence that offers strength and rigidity, perfect for a variety of outdoor projects
- Solid welded construction ensures a sturdy fence design
- Quality galvanized wire that is resistant to both weather and wear and tear




Mesh of 1" x 2"

14 Gauge

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	Red Brand Code	Ranch CUNICOLE
1324-1-14 CG	14	2" x 1"	24"	100'	64	77463	B122414100
3160-1-14 CG	14	2" x 1"	60"	100'	154	77467	B126014100
7372-2-14 CG	14	1" x 2"	72"	100'	186	77468	B127214100

*Products without a Red Brand code are manufactured by Ranch Cunicole or a partner in Canada.

- Provides versatile, affordable fencing materials to meet your needs
- Suitable for a wide range of applications, including the manufacture of animal cages
- Quality galvanized wire resists weathering
- Standard 100' rolls are available in a wide variety of styles and gauges to meet the needs of the job



Mesh of 2" x 2"


10 Gauge - Galvanized after welding

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight	Ranch CUNICOLE
1018-2-10 CG	10	2" x 2"	18"	100'	180	B221810100

EUROPEAN, ASIAN OR NORTH AMERICAN WELDED WIRE MESH



- Provides versatile, affordable fencing materials to meet your needs
- Suitable for a wide range of applications, including the manufacture of animal cages
- Quality galvanized wire resists weathering
- Standard 100' rolls are available in a wide variety of styles and gauges to meet the needs of the job



Mesh of 1" x 1"

14 & 17 Gauge
North American or European

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	Red Brand Code	Ranch CUNICOLE
1918-1-14 (CG)	14	1" x 1"	18"	100'	66	N/A	B111814100
3736-1-14 (CG)	14	1" x 1"	36"	100'	130	N/A	B113614100
3736-1-17 (CG)	17	1" x 1"	36"	100'	65	77488	B113617100

*Products without a Red Brand code are manufactured by Ranch Cunicole or a partner in Canada.



Mesh of 1" x 1/2"

16 & 17 Gauge
Canadian or European

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	Red Brand Code	Ranch CUNICOLE
0706-1/2-14 (CG)	16	1" x 1/2"	6"	100"	19	N/A	B1566R
1918-1/2-16 (CG)	16	1" x 1/2"	18"	100'	57	77481	B151816100
2524-1/2-17 (CG)	17	1" x 1/2"	24"	100'	76	77475	B152417100
3130-1/2-16 (CG)	16	1" x 1/2"	30"	100'	95	77478	B153016100
3736-1/2-17 (CG)	17	1" x 1/2"	36"	100'	101	77479	B153617100

*Products without a Red Brand code are manufactured by Ranch Cunicole or a partner in Canada.



Mesh of 4" x 2"


12 et 14 Gauge
Made in Asia

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	Ranch CUNICOLE
1036-2-14 (CG)	14	4" x 2"	36"	100'	48	BC423614100
1348-2-14 (CG)	14	4" x 2"	48"	100'	63	BC424814100
1660-2-14 (CG)	14	4" x 2"	60"	100'	76	BC426014100
1972-2-14 (CG)	14	4" x 2"	72"	100'	97	BC427214100
1036-2-14 (CG)	14	4" x 2"	36"	50'	24	BC42361450
1348-2-14 (CG)	14	4" x 2"	48"	50'	32	BC42481450
1660-2-14 (CG)	14	4" x 2"	60"	50'	39	BC42601450
1972-2-14 (CG)	14	4" x 2"	72"	50'	48	BC42721450
1348-2-12 (CG)	12	4" x 2"	48"	100'	102	BC424812100
1348-2-12 (CG)	12	4" x 2"	48"	50'	51	BC42481250






ASIAN WELDED WIRE MESH



- Provides versatile, affordable fencing materials to meet your needs
- Suitable for a wide range of applications, including the manufacture of animal cages
- Quality galvanized wire resists weathering
- Standard 100' rolls are available in a wide variety of styles and gauges to meet the needs of the job









Mesh of 2" x 2" 14 & 16 Gauge

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	
2548-2-14 	14	2" x 2"	48"	100'	72	BC224814100
3160-2-14 	14	2" x 2"	60"	100'	92	BC226014100
2548-2-16 	16	2" x 2"	48"	100'	50	BC224816100
3160-2-16 	16	2" x 2"	60"	100'	63	BC226016100












Mesh of 2" x 1" 14 & 16 Gauge

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	
1018-1-14 	14	2" x 1"	18"	100'	44	BC211814100
1630-1-14 	14	2" x 1"	30"	100'	78	BC213014100
2548-1-14 	14	2" x 1"	48"	100'	109	BC214814100
2548-1-16 	16	2" x 1"	48"	100'	67	BC214816100









Mesh of 1" x 1" 14 & 16 Gauge

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	
1312-1-14 	14	1" x 1"	12"	100'	42	BC111214100
1918-1-14 	14	1" x 1"	18"	100'	63	BC111814100
2524-1-14 	14	1" x 1"	24"	100'	83	BC112414100
3736-1-14 	14	1" x 1"	36"	100'	124	BC113614100
4948-1-14 	14	1" x 1"	48"	100'	165	BC114814100
2524-1-16 	16	1" x 1"	24"	100'	52	BC112416100
3736-1-16 	16	1" x 1"	36"	100'	77	BC113616100
4948-1-16 	16	1" x 1"	48"	100'	103	BC114816100



Mesh of 1/2" x 1" Mesh of 1/2" x 1/2" Baby-saver guard 14 & 16 Gauge

Style Number & Family	Wire Gauge	Mesh Spacing	Fence Height	Roll Length	Roll Weight (lb)	
1813-1-14* 	14	1/2" x 1" x 1"	13"	100'	52	BCBS1314100
2524-1/2-14 	14	1/2" x 1"	24"	100'	119	BC152414100
3130-1/2-14 	14	1/2" x 1"	30"	100'	148	BC153014100
4924-1/2-16 	16	1/2" x 1/2"	24"	100'	100	BC552416100
9748-1/2-16 	16	1/2" x 1/2"	48"	100'	187	BC554816100

* Baby-saver guard consists of 4" of 1/2" x 1" mesh, followed by squares of 1" x 1".

FENCE STAPLES



Toughcoat™ Premium Staples

- Zinc/aluminum coating offers better protection against weathering than Class 3 galvanized coating
- Double-barbed with deep barbs and sharp points
- Meets or exceeds ASTM A856/A856M standards

Galvanized Staples

- Made of 9 or 14-gauge wire with a quarter-inch inner spacing at the bend
- Sharp points for easy penetration into fence posts
- Smooth design for easy entry

T-Posts

- Heavy duty studded steel posts stand up to the demands of cattle and other large animals
- Manufactured with a plate for superior strength
- The T-post wire clips, manufactured by Ranch Cunicole in Canada, are ideal for securely fastening barbed wire or knotted fencing
- Available by unit, in bundles of 5, or on pallets of 200



Toughcoat™ Premium

Manufactured by Red Brand

Style Number & Family	Size	Wire gauge	Weight (Lb)	Red Brand Code	Ranch CUNICOLE
Double Barbed	1 3/4"	8	40	72218	RB72218
Double Barbed	1 3/4"	8	1	72218	RB72218(LB)
Double Barbed	2"	8	1	72220	RB72220(LB)




Galvanized Staples

Manufactured by Red Brand

Style Number & Family	Size	Wire gauge	Weight (Lb)	Red Brand Code	Ranch CUNICOLE
Barbless	3/4"	14	50	72561	RB72561
Barbless	3/4"	14	1	72561	RB72561(LB)
Single barbed	1 1/2"	9	50	72576	RB72576
Single barbed	1 1/2"	9	1	72576	RB72576(LB)
Single barbed	1 3/4"	9	1	72577	RB72577(LB)
Single barbed	2"	9	50	72578	RB72578
Single barbed	2"	9	1	72578	RB72578(LB)


Studded T-Posts

Style Number & Family	Painted	Height	Weight per post (Lb)	Ranch CUNICOLE
Heavy duty T-Post 6' 1.33lb/ft	Green/White	6' (72")	8	POST6HD
Heavy duty T-Post 7' 1.33lb/ft	Green/White	7' (84")	9	POST7HD
Heavy duty T-Post 8' 1.33lb/ft	Green/White	8' (96")	10	POST8HD
T-Post wire clips *MADE IN CANADA*	No	-	-	AGRP



T-Post wire clips


HARDWARE CLOTH




Hardware cloth



- Galvanized after welding ensures good quality mesh
- Available in lengths of 10' and 50' to suit all your needs
- Ideal for small mesh at an affordable price

Family	Wire gauge	Mesh size	Height	Length	Weight (Lb)	Ranch  CUNICOLE
CG	27	1/8" x 1/8"	36"	10'	4	TM183610
CG	27	1/8" x 1/8"	36"	50'	20	TM183650
CG	23	1/4" x 1/4"	24"	10'	3	TM142410
CG	23	1/4" x 1/4"	24"	50'	12	TM142450
CG	23	1/4" x 1/4"	30"	10'	3	TM143010
CG	23	1/4" x 1/4"	30"	50'	15	TM143050
CG	23	1/4" x 1/4"	36"	10'	4	TM143610
CG	23	1/4" x 1/4"	36"	50'	18	TM143650
CG	23	1/4" x 1/4"	48"	10'	5	TM144810
CG	23	1/4" x 1/4"	48"	50'	24	TM144850
CG	23	1/4" x 1/4"	48"	100'	48	TM1448100
CG	21	3/8" x 3/8"	36"	10'	3	TM383610
CG	21	3/8" x 3/8"	36"	50'	12	TM383650
CG	20	1/2" x 1/2"	24"	10'	3	TM122410
CG	20	1/2" x 1/2"	24"	50'	12	TM122450
CG	20	1/2" x 1/2"	30"	10'	3	TM123010
CG	20	1/2" x 1/2"	30"	50'	15	TM123050
CG	20	1/2" x 1/2"	36"	10'	4	TM123610
CG	20	1/2" x 1/2"	36"	50'	18	TM123650
CG	20	1/2" x 1/2"	48"	10'	5	TM124810
CG	20	1/2" x 1/2"	48"	50'	24	TM124850
CG	19	3/4" x 3/4"	36"	10'	3	TM343610
CG	19	3/4" x 3/4"	36"	100'	29	TM3436100
CG	19	1" x 1"	36"	10'	4	TM13610
CG	19	1" x 1"	36"	100'	31	TM136100
CG	19	1" x 1"	48"	100'	42	TM148100

POULTRY NETTING



Poultry netting 1" spacing




- Ideal for poultry and pets
- Allows you to create an affordable barrier
- Poultry fencing is lightweight and easy to work with
- Available in 10', 25', 50', 100', and 150' lengths to suit all your needs
- An ideal, cost-effective solution when protection from predators isn't a concern

Family	Wire gauge	Mesh size	Height	Length	Weight (Lb)	Ranch CUNICOLE
CG	22	1"	24"	10'	1	P12410
CG	22	1"	24"	25'	3	P12425
CG	22	1"	24"	50'	4	P12450
CG	22	1"	24"	150'	14	P124150
CG	22	1"	36"	10'	2	P13610
CG	22	1"	36"	25'	4	P13625
CG	22	1"	36"	50'	7	P13650
CG	22	1"	36"	150'	20	P136150
CG	22	1"	48"	10'	2	P14810
CG	22	1"	48"	25'	5	P14825
CG	22	1"	48"	50'	9	P14850
CG	22	1"	48"	150'	27	P148150
CG	22	1"	60"	10'	4	P16010
CG	22	1"	60"	50'	17	P16050
CG	22	1"	60"	100'	33	P160100
CG	22	1"	72"	10'	4	P17210
CG	22	1"	72"	50'	14	P17250
CG	22	1"	72"	100'	27	P172100

Ranch

CUNICOLE

www.ranchcunicole.com



RED-BRAND[®]

Official distributor

V2605